



TRANSFORAMINAL LUMBAR INTERBODY FUSION
TLIF PEEK CAGE

PRODOLPHIN™




TLIF Peek Cage



25 x 7

| SIZE | REF.CODE |
|----------|---------------|
| 25x7 mm | 102.05 002507 |
| 25x8 mm | 102.05 002508 |
| 25x9 mm | 102.05 002509 |
| 25x10 mm | 102.05 002510 |
| 25x11mm | 102.05 002511 |
| 25x12 mm | 102.05 002512 |
| 25x13 mm | 102.05 002513 |
| 25x14 mm | 102.05 002514 |
| 25x15 mm | 102.05 002515 |



28 x 7

| SIZE | REF.CODE |
|----------|---------------|
| 28x7 mm | 102.05 002807 |
| 28x8 mm | 102.05 002808 |
| 28x9 mm | 102.05 002809 |
| 28x10 mm | 102.05 002810 |
| 28x11mm | 102.05 002811 |
| 28x12 mm | 102.05 002812 |
| 28x13 mm | 102.05 002813 |
| 28x14 mm | 102.05 002814 |
| 28x15 mm | 102.05 002815 |



Prodorth TLIF Cage has a unique placement procedure and it's intended to restore the degenerative disc pathologies.

- Prodorth TLIF Cage is made of a combination of PEEK (ASTM F2026) which is a polymer based composite material and Ti6Al4V (ASTM F 136). PEEK material's modulus of elasticity is similar to vertebral bodies and it gives radiolucent imaging
- Circular toothed surface design to minimize the risk of migration
- Multiple footprint options for various surgical solutions
- Anatomical design
- The implantation process is performed by a single instrument
- Enhanced cage-inserter connection, designed to withstand rotational forces
- Prodorth TLIF Cages provides an uninterrupted guidance during operation. It has a capability of movement to both directions
- It can be fixed by rotating the wheel behind the inserter, and it is easily released by loosening it. This provides an easy positioning as required
- After discectomy, the wheel is rotated clockwise while the TLIF cage is at upright position and it's introduced into intervertebral area so on. After that the wheel is loosened and the TLIF cage is released at the required position


Rotational Design

Large fusion space

Sufficient design for an easy placement



Circular toothed surface feature for holding the inferior and superior areas



 PRODORTH

